VANQUISH

LIGHTWEIGHT PERFORMANCE

4 5

Woods | Fairway | Hybrid | Irons

Amorphous Wire Technology to Maximize Ball Speed

Super Low Resin Content Prepreg + High Modulus Carbon

Consistent Feel Design for Custom Fitting Clarity



MID

VANQUISH[™] LAUNCH CHART

O VANQUISH™

VANQUISH[™] Wood

VANQUISH[™] is a brand-new ultra-premium lightweight brand designed to help golfers unlock more club head speed while still providing unparalleled consistency swing-to-swing. VANQUISH[™] features six core technological tenets to deliver more consistency swing-to-swing and help you shoot lower scores: 1) a new Amorphous Wire Technology used in the butt section to increase activity in the handle for more clubhead acceleration, 2) a Super Low Resin Content Prepreg to drive resin content lower and increase carbon density for the best possible feel, 3) proprietary, exotic 46 and 40 Ton prepregs used in full length applications for added strength and lower torque, 4) a uniquely fortified tip section with outer layer material angled differently for tip stability, 5) Consistent Feel Design to reduce the variables between weights and flexes to allow for ease of fitting, and 6) our Precision Crafted Design to ensure VANQUISH[™] keeps the tightest possible tolerances in weight and frequency.

PRODUCT	FLEX	LENGTH (IN)	WEIGHT (G)	TIP 0.D. (IN)	TIP LENGTH (IN)	BUTT O.D. (IN)	TORQUE (၅
VANQUISH™ 4	R2	46	47	0.335	3.0	0.586	5.4
VANQUISH™ 4	R	46	48	0.335	3.0	0.586	5.4
VANQUISH™ 4	SR	46	49	0.335	3.0	0.586	5.3
VANQUISH™ 4	S	46	49	0.335	3.0	0.589	5.3
VANQUISH™ 4	Х	46	52	0.335	3.0	0.589	5.2
VANQUISH™ 4	ТХ	46	55	0.335	3.0	0.590	5.2
VANQUISH™ 5	R2	46	53	0.335	3.0	0.586	4.2
VANQUISH™ 5	R	46	55	0.335	3.0	0.590	4.2
VANQUISH™ 5	SR	46	55	0.335	3.0	0.590	4.2
VANQUISH™ 5	S	46	57	0.335	3.0	0.590	4.2
VANQUISH™ 5	х	46	59	0.335	3.0	0.590	4.1
VANQUISH™ 5	ТХ	46	60	0.335	3.0	0.590	4.0

VANQUISH[™] WOOD SPECS

VANQUISHTM FIT GUIDE

Driver MPH/YDS	<u>- 80</u> 210	<u>81-90</u> 210-239	<u>91-105</u> 240-259	<u>106</u> 260+
VANQUISH™ 4	R2	R/SR	SR/S	X/TX
VANQUISH™ 5	R2	R/SR	SR/S	X/TX

* Above are general guidelines for professional fitters; custom fittings may vary and are player dependent

MITSUBISHI CHEMICAL GROUP

SPIN MID LAU

LAUNCH

MID

VANQUISH[™] Fairway

The VANQUISH[™] brand brings premium, lightweight performance to golfers looking for more club head and ball speed. The success of VANQUISH[™] driver shafts led our designers to explore what a full family of VANQUISH[™] products would look like.

VANQUISH[™] Fairway shafts were designed for those who love the performance of VANQUISH[™] in their driver and wondered what it could look like with VANQUISH in fairway woods too. VANQUISH[™] fairway shafts are lightweight but durable and built with our Precision Crafted Design to ensure the tightest tolerances in weight and frequency for the most consistent possible performance.

VANQUISH[™] FAIRWAY SPECS

PRODUCT	FLEX	LENGTH (IN)	WEIGHT (G)	TIP O.D. (IN)	TIP LENGTH (IN)	BUTT O.D. (IN)	TORQUE (၅
VANQUISH FAIRWAY 50 ♦	R	43	55	0.335	4	0.602	6.1
VANQUISH FAIRWAY 50 ♦ ♦	S	43	59	0.335	4	0.606	6.0
VANQUISH FAIRWAY 50 ♦ ♦ ♦	Х	43	60	0.335	4	0.610	5.9
VANQUISH FAIRWAY 60 ♦	R	43	62	0.335	4	0.612	5.0
VANQUISH FAIRWAY 60 ♦ ♦	S	43	65	0.335	4	0.618	4.9
VANQUISH FAIRWAY 60 ♦ ♦ ♦	Х	43	69	0.335	4	0.620	4.9

VANQUISH[™] Hybrid

VANQUISH[™] Hybrid shafts were designed for those who love the performance of VANQUISH[™] in other parts of their golf bag and wanted that speed and stability in hybrids too. VANQUISH[™] shafts are lightweight but durable and built with our Precision Crafted Design to ensure the tightest tolerances in weight and frequency for the most consistent possible performance.

VANQUISH™ Hybrid shafts are available in 50 or 60 gram weight classes to complement VANQUISH™ driver and fairway shafts. VANQUISH™ is now available for every club in your bag.

VANQUISH[™] HYBRID **SPECS**

PRODUCT	FLEX	LENGTH (IN)	WEIGHT (G)	TIP O.D. (IN)	TIP LENGTH (IN)	BUTT O.D. (IN)	TORQUE (?)
VANQUISH™ HYBRID 50 ♦	R	42	51	0.370	4	0.594	5.4
VANQUISH™ HYBRID 50 ♦ ♦	S	42	54	0.370	4	0.598	4.8
VANQUISH™ HYBRID 50 ♦ ♦ ♦	Х	42	58	0.370	4	0.602	4.3
VANQUISH™ HYBRID 60 ♦	R	42	61	0.370	4	0.594	4.3
VANQUISH™ HYBRID 60 ♦ ♦	S	42	64	0.370	4	0.598	3.9
VANQUISH [™] HYBRID 60 ♦ ♦ ♦	Х	42	68	0.370	4	0.602	3.6

VANQUISH[™] Irons

The lightweight performance VANQUISH[™] line has been extended to include irons. VANQUISH[™] Iron shafts use all of Mitsubishi's knowledge to reduce shaft twist and shaft deformation to produce consistent strikes and accurate iron shots.

5

PRODUCT	FLEX	LENGTH (IN)	WEIGHT (G)	TIP O.D. (IN)	TIP LENGTH (IN)	BUTT O.D. (IN)	TORQUE (°)
VANQUISH™ Iron 50 #3 ♦	R	39.5	50	0.370	2	0.600	5.2
VANQUISH™ Iron 50 #4 ♦	R	39	51	0.370	2	0.600	4.7
VANQUISH™ Iron 50 #5 ♦	R	38.5	52	0.370	2	0.600	4.6
VANQUISH™ Iron 50 #6 ♦	R	38	52	0.370	2	0.600	4.5
VANQUISH™ Iron 50 #7 ♦	R	37.5	54	0.370	2	0.600	4.1
VANQUISH™ Iron 50 #8 ♦	R	37	54	0.370	2	0.600	4.1
VANQUISH™ Iron 50 #9 ♦	R	36.5	54	0.370	2	0.600	3.9
VANQUISH™ Iron 50 #P ♦	R	36	55	0.370	2	0.600	3.6
VANQUISH™ Iron 50 #3 ♦	S	39.5	52	0.370	2	0.600	5.1
×							
VANQUISH™ Iron 50 #4 ↔	S	39	52	0.370	2	0.600	4.7
VANQUISH™ Iron 50 #5 ↔	S	38.5	53	0.370	2	0.600	4.5
VANQUISH™ Iron 50 #6 ↔	S	38	53	0.370	2	0.600	4.4
VANQUISH™ Iron 50 #7 ↔	S	37.5	54	0.370	2	0.600	4.3
VANQUISH [™] Iron 50 #8 ↔	S	37	55	0.370	2	0.600	4.3
VANQUISH™ Iron 50 #9 ♦♦	S	36.5	57	0.370	2	0.600	3.7
VANQUISH [™] Iron 50 #P ♦♦	S	36	58	0.370	2	0.600	3.3
VANQUISH™ Iron 50 #3 ♦♦♦	Х	39.5	53	0.370	2	0.604	5.0
VANQUISH [™] Iron 50 #4 ♦♦♦	Х	39	54	0.370	2	0.604	4.6
VANQUISH™ Iron 50 #5 ♦♦♦	х	38.5	54	0.370	2	0.604	4.5
VANQUISH™ Iron 50 #6 ♦♦♦	х	38	55	0.370	2	0.604	4.4
VANQUISH [™] Iron 50 #7 ♦♦♦	х	37.5	56	0.370	2	0.604	4.1
VANQUISH™ Iron 50 #8 ♦♦♦	х	37	57	0.370	2	0.604	4.1
VANQUISH [™] Iron 50 #9 ♦♦♦	х	36.5	58	0.370	2	0.604	3.6
VANQUISH [™] Iron 50 #P ♦♦♦	х	36	58	0.370	2	0.604	3.3
VANQUISH™ Iron 60 #3 ♦	R	39.5	61	0.370	2	0.600	3.9
VANQUISH [™] Iron 60 #4 ♦	R	39	63	0.370	2	0.600	3.6
VANQUISH™ Iron 60 #5 ♦	R	38.5	63	0.370	2	0.600	3.6
VANQUISH™ Iron 60 #6 ♦	R	38	64	0.370	2	0.600	3.4
VANQUISH [™] Iron 60 #7 ♦	R	37.5	65	0.370	2	0.600	3.0
VANQUISH™ Iron 60 #8 ♦	R	37	66	0.370	2	0.600	3.0
VANQUISH [™] Iron 60 #9 ♦	R	36.5	67	0.370	2	0.600	3.0
VANQUISH [™] Iron 60 #P ♦	R	36	68	0.370	2	0.600	2.7
VANQUISH™ Iron 60 #3 ↔	S	39.5	63	0.370	2	0.600	3.8
	S	33.5			2		3.6
VANQUISH™ Iron 60 #4 ♦♦			64	0.370		0.600	
VANQUISH [™] Iron 60 #5 ♦♦	S	38.5	65	0.370	2	0.600	3.6
VANQUISH™ Iron 60 #6 ♦♦	S	38	66	0.370	2	0.600	3.5
VANQUISH™ Iron 60 #7 ♦♦	S	37.5	67	0.370	2	0.600	3.1
VANQUISH [™] Iron 60 #8 ♦♦	S	37	68	0.370	2	0.600	3.0
VANQUISH [™] Iron 60 #9 ♦♦	S	36.5	69	0.370	2	0.600	2.9
VANQUISH [™] Iron 60 #P ♦♦	S	36	70	0.370	2	0.600	2.7
VANQUISH™ Iron 60 #3 ♦♦♦	Х	39.5	65	0.370	2	0.604	3.7
VANQUISH™ Iron 60 #4 ♦♦♦	Х	39	66	0.370	2	0.604	3.5
VANQUISH [™] Iron 60 #5 ♦♦♦	х	38.5	66	0.370	2	0.604	3.5
VANQUISH™ Iron 60 #6 ♦♦♦	х	38	67	0.370	2	0.604	3.4
VANQUISH [™] Iron 60 #7 ♦♦♦	х	37.5	67	0.370	2	0.604	3.1
VANQUISH [™] Iron 60 #8 ♦♦♦	Х	37	68	0.370	2	0.604	2.9
VANQUISH [™] Iron 60 #9 ♦♦♦	х	36.5	70	0.370	2	0.604	2.9
VANQUISH [™] Iron 60 #P ♦♦♦	х	36	71	0.370	2	0.604	2.7